



NG-CDF

National Government Constituencies Development Fund
MATUNGU CONSTITUENCY
P.O BOX 1045-50102-MUMIAS
Matungu Sub-County HQs
CDF BUILDING

Email: cdformatungu@cdf.go.ke
Website: www.cdformatungu.go.ke

DATE: 8TH JULY 2024

QUOTATION REQUEST

Quotations are invited for the supply and delivery of a 45 – 52 seater bus as shown in specification attached.

Bidders are required to attach,



NG-CDF

National Government Constituencies Development Fund
 MATUNGU CONSTITUENCY
 P.O BOX 1045-50102-MUMIAS
 Matungu Sub-County HQs
 CDF BUILDING

Email: cdmatungu@cdf.go.ke
 Website: www.cdmatungu.go.ke

DATE: 8TH JULY 2024

MANDATORY REQUIREMENTS

S/NO.	MANDATORY REQUIREMENTS			
1.	Firms incorporation /registration certificate			
2.	Valid Tax Compliance certificate and PIN			
3.	If company attach CR 12			
4.	Bank statement for the last 6 months			
5.	Proof of supply of goods of similar nature			
6.	Dully filled and stamped declaration and commitment to the code of ethics pg 47			
7.	Dully filled, signed and stamped self declaration form pg 45 & pg 46			
8.	Dully filled, signed and stamped form of tender pg 41			
9.	Dully filled, signed and stamped tender eligibility – Confidential Business Questionnaire form pg 52 & 54			
10.	Duly filled, signed and stamped certificate of independent tender determination pg 44			
11.	Dully filled, signed and stamped form of tender security either in demand bank guarantee or insurance guarantee pg. 61			
12.	Dully filled, signed and stamped Manufacturer Authorization Form			
13.	Proof of purchase of tender document (copy of payment receipt to accompany the tender document).			
14.	Single Business permit			
	REMARKS			

TECHNICAL EVALUATION

S/NO	ITEM DESCRIPTION	SCORESCALE			
1.	Have supplied goods of the similar nature	40 Marks			
2.	Manufactures authorization	25Marks			

3.	Must duly fill and sign confidential business questionnaire a) Properly filled b) Partially filled c) Not filled	10 Marks			
	TOTAL SCORE (Pass Mark 50% points)				
	REMARKS; PASS/FAIL				

FINANCIAL EVALUATION

ITEM	DESCRIPTION	POINT SCORE SCALE	E1	E2	E3
(a)	Tender that score 50 and above will be ranked in ascending order	5			
(b)	Bank statement (For the last six months/audited accounts for the last three month	20			
	TOTAL SCORE				

SPECIFICATION NO.	MTD-947-014-24	Page 2 of 10
TENDERER'S NAME:		NO:
TENDER NO:	ITEM NO:	QTY:
DESCRIPTION: 46-54-SEATER SEMI-LUXURY BUS.		

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
h Max. gradient, approx.	specify	degrees
l) Wading depth, approx.	specify	mm

3. ENGINE

a) Make	-	
b) Model	-	
c) Country of origin	-	
d) Engine position, front/rear.	front	(Y/N)
e) Engine type Diesel, 4 Stroke.	Yes, Yes	(Y/N)
f) Engine mode of aspiration. (Natural/Turbocharged)	specify	(Y/N)
g) Engine cooling system, water.	Yes	(Y/N)
h) Piston displacement, approx.	6,500-10,000 cc	cc
l) Number of cylinders.	6	No.
j) Maximum power output, (kW / rpm), min.	130KW/2800rpm	KW/rpm
k) Maximum torque developed (Nm / rpm), min.	450Nm/1500rpm	Nm/rpm
l) Air filter, disposable/oil bath	specify	
m) Oil and fuel filter type.	replaceable	
n) Average fuel consumption (on full load)	specify	Km/l
o) Fuel tank capacity, approx.	200 lt	lt

4. CLUTCH AND TRANSMISSION

a) Clutch type, dry, single plate.	Yes, Yes	(Y/N)
b) Hydraulic, clutch actuation.	Yes	(Y/N)
c) Transmission speeds	6 speed	speed

Tenderer's Signature
Date:

Official stamp.

SPECIFICATION NO. MTD-947-014-24		Page 1 of 10
TENDERER'S NAME:		NO:
TENDER NO:	ITEM NO:	QTY:
DESCRIPTION: 46-54-SEATER SEMI-LUXURY BUS.		

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
Make	-	
Model	-	
Country of origin	-	
Manufacturer's literature, authority and specifications of bus chassis supplied.	Yes (mandatory)	------(Y/N)
Detailed engineering drawings and dimensions of the bus body supplied.	Yes (mandatory)	(Y/N)

1. GENERAL

a) A standard production, large bus of latest design in the class, robust construction in current production.	Yes, Yes, Yes	(Y/N)
b) Supplied new.	Yes (mandatory)	(Y/N)
c) Designed to heavy-duty specifications, capable of operating in tropical conditions over paved and unpaved (rough) roads.	Yes, Yes	(Y/N)
d) Suitable for transportation of passengers	Yes	(Y/N)
e) To seat 46-54 adult passengers comfortably.	Yes	(Y/N)

2. DIMENSIONS, WEIGHTS AND PERFORMANCE

a) Overall length, approx.	8,200 mm	mm
b) Overall width, approx.	2,400 mm	mm
c) Overall height with body, approx.	3,000 mm	mm
d) Wheelbase, approx.	4,500 mm	mm
e) Ground clearance, approx.	220mm	mm
f) Max. G.V.W., approx.	10,000 Kg	Kg
g) Kerb weight, approx.(Complete Bus), approx	4,500 Kg	Kg

Tenderer's Signature

Official stamp.

Date:

SPECIFICATION NO. MTD-947-014-24	Page 4 of 10
TENDERER'S NAME:	NO:
TENDER NO:	ITEM NO: QTY:
DESCRIPTION: 46-54-SEATER SEMI-LUXURY BUS.	

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
e) Lamps - 2 heads, parking indicator and tail to conform to Kenya Traffic Act.	Yes, Yes, Yes	(Y/N)

8 EQUIPMENT (ACCESSORIES)

a) Vehicle to be fitted with electronic speed governor	Yes (mandatory)	(Y/N)
b) Speed governor to limit maximum speed to 80 Km/h	Yes (mandatory)	(Y/N)
c) Speed governor to be tamper proof	Yes (mandatory)	(Y/N)
d) All seats to have safety belts that conform to the KEBS standard No. KS 06-664 of 1985.	Yes (mandatory)	(Y/N)
e) Heavy duty front fender fitted.	specify	(Y/N)
f) Spare wheel and external carrier fitted.	Yes	(Y/N)
g) High raise jack and jacking points and wheel brace.	Yes, Yes	(Y/N)
h) Android, 7-inch, touchscreen, double din, multimedia radio fitted, with suitable front and rear speakers.	Yes (mandatory)	(Y/N)
i) Manufacturer's standard tools supplied.	Yes, Yes	(Y/N)
j) Any other equipment (or accessories) supplied	specify	

B. BODY CONSTRUCTION DETAILS

i). <u>GENERAL</u>		
a) Detailed engineering drawings (Showing seating arrangement etc) of body supplied.	Yes (Mandatory)	(Y/N)
b) Coach construction and other fitments to comply	Yes	(Y/N)

Tenderer's Signature Date:	Official stamp.
-------------------------------	-----------------

SPECIFICATION NO. MTD-947-014-24		Page 3 of 10
TENDERER'S NAME:		NO:
TENDER NO:	ITEM NO:	QTY:
DESCRIPTION: 46-54-SEATER SEMI-LUXURY BUS.		

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
d) Gear box type, synchromesh	Yes	(Y/N)
e) Drive configuration	4x2	

5. BRAKES AND TYRES

a) Assisted hydraulic brake system.	Yes, Yes	(Y/N)
b) Mechanical Parking brake.	Yes	(Y/N)
c) Tire treads dual, for highway and x-country operation.	Yes	(Y/N)
d) Tire (size) locally available.	Yes	(Y/N)
e) Optimum tire size.	specify	

6. SUSPENSION AND STEERING

a) Independent Heavy-duty front and rear suspension.	Yes	(Y/N)
b) Heavy duty leaf or coil springs with telescopic dampers.	specify front	
	rear	
c) Assisted steering.	Yes	(Y/N)
d) Right hand drive steering.	Yes	(Y/N)
e) Driver's seat adjustable	Yes	(Y/N)

7. ELECTRICAL SYSTEM AND INSTRUMENTS

a) System voltage, negative earth, with alternator charging.	24V, Yes	(Y/N)
b) Battery capacity.	120AH, 2x12V.	
c) Full lighting to conform to Cap.403 Subs.23 Kenya Traffic Act.	Yes	(Y/N)
d) Standard instruments, gauges and warning lights for charging circuit, oil pressure, coolant, temperature, buzzer for air pressure etc.	Yes, Yes, Yes	(Y/N)

Tenderer's Signature
Date:

Official stamp.

SPECIFICATION NO. MTD-947-014-24		Page 6 of 10
TENDERER'S NAME:		NO:
TENDER NO:	ITEM NO:	QTY:
DESCRIPTION: 46-54-SEATER SEMI-LUXURY BUS.		

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
j) Panels to be secured to frame by sealed pop rivets or spot welding or any other acceptable method	specify method	
k) Floor covered with non-slip chequered alloy plate of thickness 3mm approx.	Yes Specify thickness	(Y/N) -----mm
l) All inspection covers on floor to be close fit secured by locks and of adequate dimensions for access to units for maintenance etc.	Yes	(Y/N)
m) Wheel arches made from non-slip mild steel plate lined with noise deadening material.	Yes	(Y/N)
n) Continuous up to the roof anti-roll bars (rectangular hollow sections, double 60x40x3mm, welded together/equivalent), 3sets (front, middle and rear) fitted as per KS 372 STANDARD.	Yes (Mandatory)	----- (Y/N)

iii) DOORS, SEATS, WINDOWS, BODY FINISHING ETC.

a) Lockable passenger door towards front opening inwards	Yes	(Y/N)
b) Mild steel non-slip chequered steps provided for the passenger door.	Yes	(Y/N)
c) Lockable driver door to open outwards with suitable non-slip steps provided for easy access	Yes	(Y/N)
d) Specify seating arrangement.	Specify	
e) All seats cushioned and covered with hard wearing material. Seating cushion and back rest foam thickness, min. Front seats to be velvet covered and rear seats to be Rexene covered behind high black square tubes with grab handles and loose headrest covers.	Specify material 100mm, 50mm respectively.	_____ _____ _____
f) Seats suitably fitted with integral head rests and chrome plated grab handles/or equivalent.	Yes	(Y/N)
g) Seat spacing between rows, approx.	750mm	mm

Tenderer's Signature
Date:

Official stamp.

SPECIFICATION NO.	MTD-947-014-24	Page 5 of 10
TENDERER'S NAME:		NO:
TENDER NO:	ITEM NO:	QTY:
DESCRIPTION: 46-54-SEATER SEMI-LUXURY BUS.		

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
with CAP 403- Kenya Traffic Act.		

ii). BODY CONSTRUCTION

a) Body to be mounted onto the chassis by equally spaced pre-stressed channel sections convenient for door and wheels.	Yes	(Y/N)
b) Cross bearers, mild steel channel section:	Dimension: 100mmx50mmx6mm No. min 9	----- -----
c) Cross bearers secured to chassis by bolted angle iron sections.	Yes	(Y/N)
d) Body side pillars secured to cross bearers by gussets and welding reinforced properly by box angle sections.	Yes	(Y/N)
e) Side pilfers of angle iron/mild steel top hat sections, min spacing approximately	40mmx40mmx3mm/ 220mmx40mmx40mm x3mm 1 m apart spacing section.	
f) Roof sticks be of box sections and curved to give an internal radius to pilfers , min.	40mmx40mmx3mm/ 220mmx40mmx40mm x3mm radius 300mm	
g) Roof reinforced by angle top hat iron longitudinal sections. min No.	3 No.	
h) Body to be of double skin construction Thickness of material approx. 1.2mm	Yes Specify thickness of material	(Y/N) -----mm
D) Exterior panels to be of light alloy material while the interior is plywood covered by Formica and suitable carpet material on the roof.	specify materials	

Tenderer's Signature
Date:

Official stamp.

SPECIFICATION NO. MTD-947-014-24		Page 8 of 10
TENDERER'S NAME:		NO:
TENDER NO:	ITEM NO:	QTY:
DESCRIPTION: 46-54-SEATER SEMI-LUXURY BUS.		

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
u) Fitted with rear spoiler	Yes (Mandatory)	(Y/N)

iv). ELECTRICAL SYSTEM, ACCESSORIES ETC.

a) Adequate fluorescent tube lighting for passenger deck, with switch operated by driver.	Yes	(Y/N)
b) Courtesy bell/buzzer provided with one switch above door.	Yes	(Y/N)
c) Each windscreen piece to have its own wiper.	Yes	(Y/N)
d) 2 No. external and 1 No. internal rear-view mirrors fitted.	Yes	(Y/N)
e) Suitable sun strips/blinders fitted on front windscreen.	Yes	(Y/N)
f) Chevrons and reflectors fitted at rear.	Yes	(Y/N)
g) 1 No. suitably positioned fire extinguisher supplied.	Yes	(Y/N)
h) Vehicle to be fitted with electronic speed Governor	Yes (Mandatory)	------(Y/N)
i) Governor to limit maximum speed to 80km/hr	Yes (Mandatory)	------(Y/N)
j) Governor to be tamper proof	Yes (Mandatory)	------(Y/N)
k) 1 No. first aid kit fitted.	Yes	(Y/N)

v) BODY WARRANTY

a) Specimen of vehicle/body warranty to be submitted when tendering.	Yes	(Y/N)
b) Each vehicle supplied to carry a statement of warranty.	Yes Mandatory	(Y/N)

Tenderer's Signature
Date:

Official stamp.

SPECIFICATION NO. MTD-947-014-24		Page 7 of 10
TENDERER'S NAME:		NO:
TENDER NO:	ITEM NO:	QTY:
DESCRIPTION: 46-54-SEATER SEMI-LUXURY BUS.		

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
h) Lockable boot (with keys) located at rear for the spare wheel, jack and tool kit with a runner and dust seal to keep away rain.	Yes	(Y/N)
i) Chrome plated roof hand rail to run the entire length of bus.	Yes	(Y/N)
j) Two piece laminated front and rear wind shield fitted.	Yes	(Y/N,
k) All other windows to be of clear toughened glass.	Yes	(Y/N)
l) Panoramic (wide view) sliding windows fitted in aluminium frame and lockable from inside.	Yes	(Y/N)
m) Suitable size 4 No. ventilators on front and rear panel of body, with insect excluding gauze, with control inside bus.	Yes	(Y/N)
n) Body panels to be thoroughly cleaned before painting. Both internal and external finish to be proceeded by primer coat and undercoat.	Yes	(Y/N)
o) High gloss finish colour both for internal and external to be specified by the user.	Yes	(Y/N)
p) Body under parts and floor to be painted chassis black colour.	Yes	(Y/N)
q) Windows to have suitable curtain and curtain rails or equivalent	Yes (Mandatory)	(Y/N)
r) Suitable interior roof rack fitted.	Yes (Mandatory)	(Y/N)
s) Suitable detachable overhead carrier and side ladder fitted.	Yes (Mandatory)	(Y/N)
t) Provision for side luggage compartments (outside)	Yes (Mandatory)	(Y/N)

Tenderer's Signature	Official stamp.
Date:	

SPECIFICATION NO. MTD-947-014-24	Page 9 of 10
TENDERER'S NAME:	NO:
TENDER NO:	ITEM NO: QTY:
DESCRIPTION: 46-54-SEATER SEMI-LUXURY BUS.	

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
c) Warranty duration:	Min. 12 Months or 40,000 Km whichever occurs first.	Month Kn

vi) MANUALS

a) All literature in English language.	Yes	_____(Y/N)
b) Repair manuals supplied.	1 per vehicle Mandatory	_____(Y/N)
c) Parts catalogue supplied.	1 per vehicle Mandatory	_____(Y/N)
d) Drivers' handbook and service schedule supplied.	1 per vehicle	_____(Y/N)
e) Manufacturer's standard tool kit supplied	1 per vehicle	_____(Y/N)

vii) OTHER REQUIREMENT

a) Vehicle/bus to be registered by the Registrar of Motor Vehicles.	Yes (Mandatory)	_____(Y/N)
b) Vehicle/Bus to bear Institution logo and signage.	Yes	_____(Y/N)
c) Vehicle/bus will be inspected by the Chief Engineer - Mechanical during all the construction stages and before delivery to the user.	Yes	_____(Y/N)
d) Franchise holder (representative in Kenya). If not, specify relationship with franchise holder.	Yes Specify whether agent/dealer	_____(Y/N) -----
e) Availability of spares.	Indicate motor vehicle dealers who stock spare parts.	----- ----- ----- --
f) Names and addresses of dealers/agents where	Specify	-----

Tenderer's Signature
Date:

Official stamp.

SPECIFICATION NO. MTD-947-014-24	Page 10 of 10
TENDERER'S NAME:	NO:
TENDER NO:	ITEM NO:
QTY:	
DESCRIPTION: 46-54-SEATER SEMI-LUXURY BUS.	

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
back-up service can be obtained indicating the location of the workshop's facilities.		----- ----- ---
g) Body construction and all fitments to conform to CAP 403 Kenya Traffic Act.	Yes (Mandatory)	_____(Y/N)

Tenderer's Signature	Official stamp.
Date:	