

REQUEST FOR QUOTATION

QUOTATION NO: MAT/NG-CDF/022/2025-2026

PROPOSED CONSTRUCTION OF 3 ROOMED CHIEFS' OFFICE AND 2 DOOR PIT
LATRINEAT KABIRUINI CHIEFS OFFICE

TENDERER'S DETAILS

PMC KABIRUINI Chiefs' Office C/O Mathira Constituency NG-CDF

P.O. Box 806-01010, Karatina.

Email: cdmathira@ngcdf.go.ke

Website: <http://mathira.ngcdf.go.ke>

Quotation No: MAT/NG-CDF/022/2025-2026

Signature.....

Tel No.

Company Stamp.....

REQUEST FOR QUOTATIONS (RFQ)

To:

From: **PMC KABIRUINI Chiefs Office C/O Mathira Constituency NG-CDF**

QUOTATION NO: MAT/NG-CDF/022/2025-2026

THE PMC KABIRUINI CHIEFS' OFFICE Thro' MATHIRA CONSTITUENCY NG-CDF invites you to submit quotations for

1. Supply of works indicated in detail in "Table A. Schedule of Requirements and Specifications". The quotation shall follow the instructions and documents in this RFQ document and shall be in English Language. Tenderers may obtain further information during office hours 0800 -1500 hours at the address given below.
2. Quotations shall be submitted in accordance with the instruction in Part 1: Quotation Procedures and in a sealed envelope clearly indicating name and address of tenderer, the quotation name and title and must reach the Procuring Entity at the address indicated below not later than **03rd December, 2025**. Quotations can be delivered by **Hand Delivery and dropped in the tender box** at the Mathira NG-CDF Offices, **Karatina**. Late quotations shall be rejected.
3. Enquiries regarding this quotation may be addressed:
The Fund Accounts Manager
NG-CDF Mathira Constituency
P.O. Box 806-01010,
Karatina.
Email: cdfmathira@ngcdf.go.ke
4. Please inform by email or express mail the undersigned within day (*Specify the number of days*) of receipt of this RFQ if you will not be submitting a quotation.

Address for Submission of Quotations.

Fund Accounts Manager
NG-CDF Mathira Constituency
P.O. Box 806-01010,
Karatina.
Email: cdfmathira@ngcdf.go.ke

At The Tender box is located at the entrance of Mathira Constituency NG-CDF offices next to Karatina Law Courts.

Yours sincerely,

Fund Accounts Manager
NG-CDF MATHIRA CONSTITUENCY

PART 1: INSTRUCTIONS TO TENDERERS

1. **Tenderers are advised to read carefully** these instructions and the Conditions of Contract in Part 3: Contract, before preparing the quotation. The standard forms in this RFQ may be photocopied for completion but the Tenderer is responsible for their accurate reproduction. The term Tenderer shall mean the firm or person invited to submit a quotation. The term Quotation herein shall mean the quotation submitted as usually understood in public procurement.
2. **Validity of Quotations:** The quotation will be held valid for 120 days from the date of submission.
3. **The Quotation shall consist of** completed Tables A, B and C and the Form of Quotation all indicated in Part 2 of this Request for Quotations, and documents to evidence Eligibility and Conformity to Technical Specifications.
4. **Sealing and Marking of Quotations:** Quotations in one “one original” should be sealed in a single envelope, clearly marked with the **Quotation Reference Number** in the RFQ, the Tenderer's name and the name of the Procuring Entity. Envelopes should be sealed in such a manner that opening and resealing cannot be achieved undetected.
5. **Submission of Quotations:** Quotations, and any alternatives if allowed as per Item 11 below, should be submitted to the address below, on or before the date and time indicated in sub-item 4 below. Late quotations will be rejected.

Address for Submission of Quotations.

Fund Accounts Manager
NG-CDF Mathira Constituency
P.O. Box 806-01010,
Karatina.
Email: cdfmathira@ngcdf.go.ke

- 1) Physical address for hand or Courier Delivery to an office or Quotation Box (City, Street Name, Building, Floor Number and Room)
TENDER BOX AT NG-CDF OFFICES MATHIRA CONSTITUENCY ENTRANCE
- 2) Date of Submission (deadline): 03/12/2025 _____ (*day, month and year*).
Time of Submission (deadline): 10:00 AM _____ (*Kenya time*).
6. **Opening of Quotations:** Quotations will be opened immediately after the closing date and time specified in item 5 (4) above, by at least three appointed officials of the Procuring Entity.
7. **Tenderer Eligibility:** Tenderer must submit Documentary evidence to show His/her eligibility to be awarded a contract to cover each of the following: (i) valid copy of incorporation certificate/Registration (ii) Valid copy of business permit (iii) Submission of valid CR12 (issued in the last 12 months) or National ID for sole proprietors and partnerships (iv) valid tax compliance certificate. (v) NCA Certificate roadworks/building works category – 8 & above and current annual practicing license from NCA. The Tenderer shall also complete attached forms to confirm eligibility and non-existence of a conflict of interest in relation to this procurement requirement by signing the attached Forms.
8. **Invitation not transferable:** This invitation is not transferable to other firms or individuals not so invited.
9. **Goods Eligibility:** Tenderer must submit as evidence documents to show the country of origin of any goods to be supplied or incorporated in the work or services
10. **Technical Specifications:** Documentary evidence to show that the goods meet the technical specifications.

11. **Alternative Quotations:** Tenderers **are permitted/not permitted** (*select one*) to submit alternative quotations for goods/alternative technical solutions for specified parts of the Works or Services (*select one*). Only the alternatives, if any, of the Tenderer with the winning quotation conforming to the basic technical requirements shall be considered by the Procuring Entity.
12. **Currency:** Quotations shall be priced in Kenya Shillings. Quotations in other currencies will be rejected if not allowed.

The Procuring Entity shall allow/not allow quotations in foreign currency (*procuring Entity to select one*).
13. **Evaluation of Quotations:** The evaluation of quotations will be conducted using the procedure set out below:
 - i) Preliminary examination to determine Tenderer eligibility: (i) valid copy of incorporation certificate/Registration (ii) Valid copy of business permit (iii) Submission of valid CR12 (issued in the last 12 months) or National ID for sole proprietors and partnerships (iv) valid tax compliance certificate. (v) NCA Certificate roadworks/building works category – 8 & above and current annual practicing license from NCA.
 - ii) Technical examination to determine goods eligibility, compliance with technical specifications and commercial responsiveness. Quotations failing this stage will be rejected and not considered in next stage.
 - iii) Financial comparison of quotations to determine the lowest evaluated quotation. In case foreign currency is allowed, for comparison purposes only, foreign currency quotations will be converted to Kenya shillings using the exchange rates published by the Central Bank of Kenya on the day of submission of quotations.
14. **Lowest Evaluated Quotation:** The lowest evaluated quotation shall be recommended for award of contract.
15. **Award of contract:** Award of contract shall be by placement of a Letter of Acceptance or Local Purchase Order in accordance with Part 3: Contract. The currency of award and payment shall be currency in which the quotation was submitted. Unsuccessful tenderers who responded will be notified of the accepted quotation, indicating the name and the amount of the accepted quotation
16. **Right to Reject:** The Procuring Entity reserves the right to accept or reject any quotation or to cancel the quotation process and reject all quotations at any time prior to contract award.

QUOTATION AND QUALIFICATION DOCUMENTS

Instructions to Tenderer. Tenderer must complete and submit as part of the Form of quotation.

- (i) SCHEDULE OF REQUIREMENTS TABLE
- (ii) FORM FOR DISCLOSURE OF INTEREST
- (iii) CERTIFICATE OF INDEPENDENT QUOTATION DETERMINATION
- (iv) SELF-DECLARATION FORM
- (v) FOREIGN TENDERER 40% RULE (where provided)

FORM OF QUOTATION [To be completed by Tenderer]

| | |
|--|--|
| Quotation Addressed to (<i>Procuring Entity</i>) | |
| Date of Quotation | 20 th November 2025 |
| Quotation Reference Number: | MAT/NG-CDF/022 /2025-2026 |
| Subject of Quotation | PROPOSED CONSTRUCTION OF 3 ROOMED CHIEFS' OFFICE AND 2 DOOR PIT LATRINE AT KABIRUINI CHIEFS' OFFICE. |

1. We have examined and have no reservations to the Request for Quotation document, and understand its full content and intent.
2. In compliance with your request for quotations dated _____, referenced above, we offer to _____ (*specify one of supply goods, complete the works or provide the services*) to cover and conform to our pricing listed in the attached in Table B. Quotation Submission TABLE at a total price of Kenya Shillings _____
_____ (in words) _____

OR in Foreign Currency (*if allowed*), Currency _____ amount _____ (in words) _____
3. We confirm that we are eligible to participate in public procurement and meet the eligibility criteria specified in Part 1: INSTRUCTIONS TO TENDERERS.
4. We also confirm that the _____ (*goods to be supplied/works to be constructed/services to be provided (select one)*) conform to the **SCHEDULE OF REQUIREMENTS TABLE** below and in conformity with technical specifications listed in PART 2: SCHEDULE OF REQUIREMENTS of this RFQ Document.
5. We undertake to adhere by the Code of Ethical Conduct for Suppliers, Contractors and Service Providers, copy available from _____ (*specify website*) during the procurement process and the execution of any resulting contract.
6. We confirm that the prices quoted are fixed and firm for the duration of the validity period and performance of the contract and will not be subject to revision or variation.
7. The validity period of our quotation is: _____ days from the time and date of the submission deadline (*number to be same as in the instructions to Tenderers*).
8. We confirm we are not submitting any other Quotation as an individual or firm, and we are not participating in any other Quotation as a Joint Venture member or as a subcontractor.

9. We, along with any of our subcontractors, suppliers, Engineer, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to a temporary suspension or a debarment imposed by the Public Procurement Regulatory Authority or any other entity of the Government of Kenya, or any international organization.
10. We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf engages in any type of Fraud and Corruption.
11. We hereby certify and confirm that the Quotation is genuine, non-collusive and made with the intention of accepting the contract if awarded. To this effect we have signed the "Certificate of Independent Quotation Determination" attached below.
12. We, the Tenderer, have completed fully and signed the **FORM FOR DISCLOSURE OF INTEREST-** interest of the firm in the Procuring Entity, attached below.

The Delivery/Completion period offered is: _____ days from date of acceptance of Quotation. The warranty period offered is _____ weeks.

Quotation Authorized by:

Name and designation _____

Signature: _____

i) **SCHEDULE OF REQUIREMENTS TABLE**

(Procuring Entity will complete the list of items to be same as those on Part 2 Table A. Schedule of Requirements and Technical Specifications and tenderer should complete columns D and E).

| A Item | B Description Goods/works/services (procuring entity to select one) | C Quantity | D Unit price | E Total Price in Ksh |
|---------------------------|--|---------------|-----------------|-------------------------|
| 1. | AS PER THE ATTACHED BQ | | | |
| 2. | | | | |
| 3. | | | | |
| 4. | | | | |
| 5. | | | | |
| 6. | | | | |
| 7. | | | | |
| 8. | | | | |
| 9. | | | | |
| 10. | | | | |
| 11. | | | | |
| 12. | | | | |
| ETC | | | | |
| TOTAL PRICE IN KeS | | | | |

Signature: _____

And seal/Stamp

Name: _____

Position:

Authorised for and on behalf of (*specify name of tenderer*)

Date _____

ii) **FORM FOR DISCLOSURE OF INTEREST** - Interest of the Firm in the Procuring Entity.

- i) Are there any person/persons in (Name of Procuring Entity) who has/have an interest or relationship in this firm? Yes/No.....

If yes, provide details as follows.

| | Names of Person | Designation in the Procuring Entity | Interest or Relationship with Tenderer |
|---|-----------------|-------------------------------------|--|
| 1 | | | |
| 2 | | | |
| 3 | | | |

ii) **Conflict of interest disclosure**

| | Type of Conflict | Disclosure YES OR NO | If YES provide details of the relationship with Tenderer |
|---|--|----------------------|--|
| 1 | Tenderer is directly or indirectly controls, is controlled by or is under common control with another tenderer. | | |
| 2 | Tenderer receives or has received any direct or indirect subsidy from another tenderer. | | |
| 3 | Tenderer has the same legal representative as another tenderer | | |
| 4 | Quotation has a relationship with another tenderer, directly or through common third parties, that puts it in a position to influence the quotation of another tenderer, or influence the decisions of the Procuring Entity regarding this quotation process. | | |
| 5 | Any of the Tenderer's affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the quotation. | | |
| 6 | Tenderer would be providing goods, works, non-consulting services or consulting services during implementation of the contract specified in this Quotation Document. | | |
| 7 | Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who are directly or indirectly involved in the preparation of the Quotation document or specifications of the Contract, and/or the Quotation evaluation process of such contract. | | |
| 8 | Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who would be involved in the implementation or supervision of the Contract. | | |
| 9 | Has the conflict stemming from such relationship stated in item 7 and 8 above been resolved in a manner acceptable to the Procuring Entity throughout the quotation process and execution of the Contract? | | |

iii) Certification

On behalf of the Tenderer, I certify that the information given above is complete, current and accurate as at the date of submission.

Full Name_____

Title or Designation_____

(Signature)

_____)_____
(Date)

iv) CERTIFICATE OF INDEPENDENT QUOTATION DETERMINATION

I, the undersigned, in submitting the accompanying Letter of quotation to the _____
_____ [Name of Procuring Entity] for: _____
_____ [Name and number of quotation] in response to the request for tenders
made by: _____ [Name of Tenderer] do hereby make the following
statements that I certify to be true and complete in every respect:

I certify, on behalf of _____ [Name of Tenderer] that:

1. I have read and I understand the contents of this Certificate;
2. I understand that the Tenderer will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am the authorized representative of the Tenderer with authority to sign this Certificate, and to submit the quotation on behalf of the Tenderer;
4. For the purposes of this Certificate and the quotation, I understand that the word “competitor” shall include any individual or organization, other than the Tenderer, whether or not affiliated with the Tenderer, who:
 - a) has been requested to submit a quotation in response to this request for quotations;
 - b) could potentially submit a quotation in response to this request for quotations based on their qualifications, abilities or experience;
5. The Tenderer discloses that [check one of the following, as applicable]:
 - a) The Tenderer has arrived at the quotation independently from, and without consultation, communication, agreement or arrangement with, any competitor;
 - b) the Tenderer has entered into consultations, communications, agreements or arrangements with one or more competitors regarding this request for quotations, and the Tenderer discloses, in the attached document(s), complete details thereof, including the names of the competitors and the nature of, and reasons for, such consultations, communications, agreements or arrangements;
6. In particular, without limiting the generality of paragraphs (5)(a) or (5)(b) above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - a) prices;
 - b) methods, factors or formulas used to calculate prices;
 - c) the intention or decision to submit, or not to submit, a quotation; or
 - d) the submission of a quotation which does not meet the specifications of the request for quotations; except as specifically disclosed pursuant to paragraph (5) (b) above;
7. In addition, there has been no consultation, communication, agreement or arrangement with any competitor regarding the quality, quantity, specifications or delivery particulars of the works or services to which this request for tenders relates, except as specifically authorized by the procuring authority or as specifically disclosed pursuant to paragraph (5)(b) above;
8. the terms of the quotation have not been, and will not be, knowingly disclosed by the Tenderer, directly or indirectly, to any competitor, prior to the date and time of the official quotation opening, or of the awarding of the Contract, whichever comes first, unless otherwise required by law or as specifically disclosed pursuant to paragraph (5)(b) above.

Name _____

Title _____

Date _____

[Name, title and signature of authorized agent of Tenderer and Date]

v) SELF-DECLARATION FORM

We, the Tenderer _____ (*insert name*) submitting our Quotation in respect of Quotation No _____ for _____ (*insert quotation Title Description*) for _____ (*insert Name of Procuring Entity*)

DECLARE AS FOLLOWS:

That, We the Tenderer including any entity or individual that directly or indirectly controls, is controlled by or is under common control with us, and any subcontractors, suppliers, project managers, consultants, manufacturers, service providers, agents, individuals, or any other party involved or to be involved for any part of the processes of procurement and contract execution related to the above quotation:

- a) have not engaged/will not engage in any corrupt or fraudulent practices in the processes of procurement and contract execution related to the above quotation as defined and/or described in the following:
 - i) the RFQ for the above Quotation;
 - ii) Kenya's Public Procurement and Asset Disposal Act, 2015) and its attendant Regulations;
 - iii) Kenya's Anti-Corruption and Economic Crimes Act, 2013; and
 - iv) any such other Acts or Regulations of Government of Kenya;
- b) have not offered/will not offer any inducement to any member of the board, management, staff and/or employees and/or agents of (*name of the procuring entity*);
- c) have not engaged/will not engage in any collusive or corrosive practice with other tenderers participating in the subject quotation;
- d) have not been sanctioned or debarred by any entity from participation in public procurement proceedings of Kenya.

That, what is deponed to herein above is true to the best of our knowledge, information and belief.

Name of the Tenderer: [*Insert complete name of tenderer signing the quotation*]

Name of the person duly authorized to sign the quotation on behalf of the Tenderer: [*Insert complete name of person duly authorized to sign the quotation*]

Title of the person signing the Quotation: [*Insert complete title of the person signing the quotation*]

Signature of the person named above: [*Insert signature of person whose name and capacity are shown above*]

vi) FOREIGN TENDERER 40% RULE

(not to be included in the RFQ for supply of goods, supply and installation of plant and equipment, insurance, purchase of property, and other RFQ where this rule may not be practical).

Pursuant to the provisions in the Public Procurement and Disposal Act, 2015, a Foreign Tenderer must complete this form to demonstrate that the quotation fulfils this condition

| ITEM | Description of Work Item | Describe location of Source | COST in K. shillings | Comments, if any |
|------|----------------------------------|-----------------------------|----------------------|------------------|
| A | Local Labor | | | |
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |
| 4 | | | | |
| 5 | | | | |
| B | Sub contracts from Local sources | | | |
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |
| 4 | | | | |
| 5 | | | | |
| C | Local materials | | | |
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |
| 4 | | | | |
| 5 | | | | |
| D | Use of Local Plant and Equipment | | | |
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |
| 4 | | | | |
| 5 | | | | |
| E | Add any other items | | | |
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| | TOTAL COST LOCAL CONTENT | | XXXXX | |
| | PERCENTAGE OF CONTRACT PRICE | | | |

TECHNICAL SPECIFICATIONS FOR WORKS/SERICES

(a) A preliminary description of the proposed works/services and work method and schedule, including drawings and charts, as necessary, containing all required information by which the proposed works may be evaluated (e.g. technical characteristics, operational capacities, maintenance, environmental effect, etc.) together with manuals or instructions for use or any other relevant information and documentation, delivery/installation schedules, etc.;

(b) A detailed statement of how the tenderer will carry out the works/services that will form an integral part of the Contract.

(c) **DRAWINGS**

(Procuring Entity to attach Drawings (if any))

TABLE B. SCHEDULE OF REQUIREMENTS TABLE

(Procuring Entity will complete the list of items to be same as those on Table A. Schedule of Requirements and Technical Specifications and tenderer should complete columns c-e)

| A Item | B Description of works | C Quantity | D Unit price | E Total Price in Ksh |
|-----------|---------------------------|---------------|-----------------|-------------------------|
| | AS PER ATTACHED BQ | | | |
| | | | | |
| | | | | |

Signature:

And seal/Stamp

Name:

Position:

Authorised for and on behalf of (*specify name of tenderer*) _____

Date _____

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|-----|------|------|--------|
| | <u>PROPOSED CONSTRUCTION OF 3 ROOMED CHIEFS' OFFICE</u> KABIRUINI CHIEF' S OFFICE <u>ELEMENT NO.1</u> <u>SUBSTRUCTURES</u> <u>Siteworks and Excavations</u> | | | | |
| A | Clear site of all shrubs and undergrowth including grubbing up of roots and dispose off as directed. | 150 | SM | | |
| B | Excavate to remove vegetable soil average depth 1.0m and dispose off as directed. | 100 | SM | | |
| C | Excavate trenches for strip foundation in SOIL not exceeding 1.5metres from reduced level and set aside for later re-use | 80 | CM | | |
| D | Extra over excavation for soft rock in any position | 1 | CM | | |
| | Carried to Collection | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|-----|------|------|--------|
| | <u>Filling and Carting away</u> | | | | |
| A | Return, fill and ram with selected and approved excavated material around excavations | 5 | CM | | |
| D | Load and cart away excavated materials from site | 25 | CM | | |
| C | Approved hardcore bed handpacked, well watered and compacted laid in layers of 150mm thick | 50 | CM | | |
| D | 50 mm selected fine material to hardcore surfaces, well rolled and leveled to receive concrete | 90 | SM | | |
| E | Apply "Termidor" or any other similar and approved anti termite chemical treatment on blinded surfaces | 90 | SM | | |
| F | 500 gauge polythene sheeting with sides and end laps as described laid on blinded surfaces | 90 | SM | | |
| | <u>Plain concrete (1:4:8) in</u> | | | | |
| G | 50mm Thick blinding to strip foundation | 80 | SM | | |
| | Vibrated reinforced concrete grade 20/20 (1:2:4) in: | | | | |
| H | 200mm thick Strip footing and column bases | 16 | CM | | |
| I | 150mm Thick ground bed | 17 | CM | | |
| | Carried to Collection | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|-----|------|------|--------|
| A | <u>Sawn formwork to:</u> Edges of floor bed 75 - 150mm high <u>Mild Steel reinforcement as described including cutting to length, bending and fixing including all necessary tying wires and spacing blocks (all provisional)</u> | 50 | LM | | |
| B | 10mm diameter High tensile Deformed bars | 300 | KG | | |
| B | 12mm diameter High tensile Deformed bars | 150 | KG | | |
| C | 8mm diameter ditto | 110 | KG | | |
| D | <u>Steel fabric mesh reinforcement to B.S. 4483</u> No. A 142 fabric weighing 2.22Kg/sm fixed in bed <u>Natural stone walling in cement and sand (1:3) mortar and including reinforcing with 20 x 3mm thick hoop iron in every alternate course.</u> | 100 | SM | | |
| E | 200mm Thick walling | 70 | SM | | |
| | Carried to Collection | | | | |
| | <u>COLLECTION</u> FROM PAGE 1 FROM PAGE 2 FROM PAGE 3 | | | | |
| | TOTAL FOR ELEMENT NO. 1 CARRIED TO (SUBSTRUCTURES) SUMMARY | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|-----|------|------|--------|
| | <u>ELEMENT NO. 2</u> | | | | |
| | <u>Vibrated reinforced concrete (1:2:4) Class 20/20 in :</u> | | | | |
| A | Beams and columns | 6 | CM | | |
| | <u>Sawn formwork to:</u> | | | | |
| B | Sides and soffites of beams & columns | 42 | SM | | |
| | <u>steel reinforcement as described including cutting to length, bending, hoisting and fixing including all necessary tying wires and spacing blocks (all provisional)</u> | | | | |
| C | 8mm diameter High tensile round ribbed bars | 200 | KG | | |
| D | 12mm ditto | 280 | KG | | |
| | <u>WALLING</u> | | | | |
| E | 200 mm wide approved quality 3-ply bituminous felt damp proof course under walls | 70 | LM | | |
| | <u>Smooth chisel dressed natural stone walling in cement and sand (1:4) mortar reinforced with and including 25 x 3mm thick hoop iron in every alternate course</u> | | | | |
| F | 200mm Thick walling | 190 | SM | | |
| | TOTAL FOR ELEMENT NO. 2 CARRIED TO (WALLING) SUMMARY | | | | |

| Item | Description | Qty | Unit | Rate | Amount |
|------|--|-----|------|------|--------|
| A | <u>Roofing</u> 30 gauge prepainted GCI sheets including nails and rubber washers | 150 | SM | | |
| B | <u>Ridge cap</u> 30 gauge ridge/ valley cap to match | 33 | SM | | |
| | <u>Structural timber</u> Cypress prime grade, pressure impregnated approximately 6000mm high | | | | |
| C | 75x50mm purlin | 90 | SM | | |
| D | 100X50mm rafters | 120 | SM | | |
| E | 100X50mm wall plate | 50 | SM | | |
| F | 75x50mm struts and ties | 120 | SM | | |
| G | 100X50mm tie beam | 91 | SM | | |
| H | 100X50mm kingpost | 39 | lm | | |
| I | <u>Fascia Board</u> Fascia/Barge boards 200x25 mm thick sawn cypress and planed to approval | 50 | lm | | |
| | Total for roofing carried to collection | | | | |

| Item | Description | Qty | Unit | Rate | Amount |
|------|---|-----|------|------|--------|
| | <u>WINDOWS</u> | | | | |
| A | 250 x 25mm Precast concrete window cill bedded and jointed with cement and sand (1:3) mortar | 9 | lm | | |
| | <u>Supply & fix the following purpose made steel casement windows fabricated from standard sections complete with frames, mullions and transomes including all necessary locking and window stays, screws, nuts and burglar proof grills to architect's detail once shop primed before delivery to site</u> | | | | |
| B | - Steel casement window size 1500 x 1500mm high | 6 | no | | |
| | <u>3mm Thick glazing fixed with and including putty to steel windows</u> | | | | |
| C | - Panes 0.1 - 0.5 square metres | 15 | sm | | |
| | <u>Prepare and apply three coats gloss oil paint to:</u> | | | | |
| D | General surfaces of metal windows (measured both ways) | 15 | sm | | |
| | Total for windows carried to collection | | | | |

| Item | Description | Qty | Unit | Rate | Amount |
|------|--|-----|------|------|--------|
| | <u>DOORS</u> | | | | |
| | <u>Steel Doors</u> | | | | |
| A | 25mm thick Steel panel double leaf door overall size 1200 x 2400mm high with 150 x 50mm top, bottom and middle rail. | 1 | pcs | | |
| | <u>Knot, prime, prepare and apply three coats gloss oil paint to:</u> | | | | |
| B | General surfaces of metal doors | 7 | sm | | |
| | <u>Flush doors</u> | | | | |
| C | 45mm thick semi - solid core flush door overall size 900 x 2400mm high,faced both sides with 6 mm interior quality mahogany and lipped on all edges including 900 x 300 x 6mm thick clear glass fanlight | 3 | pcs | | |
| E | Wrot cypress or other equal and approved : | | | | |
| F | 100mm x 50mm Frame with two labours plugged | 18 | lm | | |
| G | 45 x 38mm architrave | 18 | lm | | |
| H | 25mm diameter quadrant | 18 | lm | | |
| | <u>Supply and fix the following ironmongery with screws to match.</u> | | | | |
| I | 2-Lever mortice lock and set furniture | 3 | pcs | | |
| J | 100mm aluminium butts hinges | 3 | prs | | |
| K | Prepare and apply three coats wood preservative primer to backs of timber frame not exceeding 100mm girth | 18 | lm | | |
| | <u>Knot, stain, prime, prepare and apply three coats clear polyurethane varnish to:</u> | | | | |
| L | General surfaces of timber | 12 | sm | | |
| | Total for doors carried to collection | | | | |

| Item | Description | Qty | Unit | Rate | Amount |
|------|---|-----|------|------|--------|
| | <u>EXTERNAL FINISHES</u> | | | | |
| | <u>12mm thick 2 coat gauged Lime (1:2:9) plaster to:</u> | | | | |
| A | General surfaces of walls | 50 | sm | | |
| | <u>Prepare and apply three coats of first grade vinyl matte emulsion paint to:</u> | | | | |
| B | General surfaces of walls | 50 | sm | | |
| | <u>Key Pointing</u> | | | | |
| C | Neat recessed Horizontal key and pointing in cement sand and mortar 1:3 | 105 | sm | | |
| | Total External finishes carried to collection | | | | |
| Item | Description | Qty | Unit | Rate | Amount |
| | <u>INTERNAL FINISHES</u> | | | | |
| | <u>FLOORS</u> | | | | |
| | <u>Cement and sand (1:4) screeding smooth trowelled</u> | | | | |
| A | 12mm Thick | 100 | sm | | |
| | <u>Non-Slip ceramic floor tiles</u> | | | | |
| B | Size 300 x 300 x 12mm thick | 100 | sm | | |
| | <u>CEILING</u> | | | | |
| D | 50 X 50mm celcured cypress timber brandering | 350 | lm | | |
| E | 9mm thick chipboard ceiling nailed to timber brandering (m/s) | 100 | sm | | |
| F | Extra over chipboard ceiling for trap door size 600 x 450mm wide comprising with and including 50 x 50mm timber framing | 1 | no | | |
| | <u>Prepare and apply three coats first grade plastic emulsion paint to:</u> | | | | |
| G | Ceiling surfaces and slab soffits | 90 | sm | | |
| | Carried to collection | | | | |

| Item | Description | Qty | Unit | Rate | Amount |
|------|---|-----|------|------|--------|
| | <u>WALL FINISHES</u> | | | | |
| | <u>12mm Thick cement and sand (1:3) plaster to:</u> | | | | |
| A | Natural stone wall surfaces | 200 | sm | | |
| | <u>Prepare and apply three coats first grade plastic emulsion paint to:</u> | | | | |
| B | Plastered walls surfaces | 200 | sm | | |
| | Carried to collection | | | | |
| | Collection | | | | |
| | Brought forward from page 1 | | | | |
| | Brought forward from above | | | | |
| | Total for internal finishes carried to summary | | | | |
| | Grand Summary | | | | |
| 1 | SUB-STRUCTURES | | | | |
| 2 | WALLING | | | | |
| 2 | ROOFING | | | | |
| 3 | WINDOWS | | | | |
| 4 | DOORS | | | | |
| 5 | EXTERNAL FINISHES | | | | |
| 6 | INTERNAL FINISHES | | | | |
| | Total For Builders' Work | | | | |

| ITEM | DESCRIPTION | UNIT | QTY | RATE | AMOUNT |
|------|---|------|-----|------|--------|
| | KABIRUINI CHIEFS OFFICE | | | | |
| | PROPOSED CONSTRUCTION OF 2 DOOR & URINAL PIT LATRINE | | | | |
| | ELEMENT NO. 01 | | | | |
| | SUBSTRUCTURE-all provisional | | | | |
| A | Excavate for pit exceeding 1.50 metres | CM | 3 | | |
| B | Excavate for pit exceeding 1.5m but not exceeding 3.0m | CM | 3 | | |
| C | Excavate for pit exceeding 3.0m but not exceeding 4.5m | CM | 3 | | |
| D | Excavate for pit exceeding 4.5m but not exceeding 6.0m | CM | 3 | | |
| E | Cart-away and clear site of any surplus excavated materials to where directed. | CM | 12 | | |
| F | Premise 200cc" or any other equal and approved anti termite treatment applied as per manufactures printed instructions. | SM | 12 | | |
| G | 50mm thick mass concrete 1:4:8 blinding under foundations | SM | 12 | | |
| H | 150mm thick floor slab | CM | 2 | | |
| J | Ditto in strip foundation footing and beams | CM | 2 | | |
| | Carried to collection | | | | |

| ITEM | DESCRIPTION | UNIT | QTY | RATE | AMOUNT |
|------|---|------|-----|------|--------|
| A | 8mm diameter steel reinforcement deformed bars to B.s 4449 including all cutting to size, binding wire and spacer blocks in strip | KG | 50 | | |
| B | 10mm high tensile square twisted bars to B.s 4461 and ditto | KG | 70 | | |
| | Sawnform work to:- | | | | |
| C | Edges of surface bed 75-150mm high. | LM | 12 | | |
| D | Soffits of suspended slab(formwork left in place) | SM | 4 | | |
| | Walling | | | | |
| E | 200mm thick solid natural quarry stone walling in cement sand mortar 1:4 with and including hoopiron after every 2nd alternate course. | SM | 4 | | |
| | Carried to collection | | | | |
| | COLLECTION | | | | |
| | Brought forward from pg C1 " " from above | | | | |
| | TOTAL FOR ELEMENT NO. 1-SUBSTRUCTURE | | | | |
| ITEM | DESCRIPTION | UNIT | QTY | RATE | AMOUNT |
| | ELEMENT NO. 02-WALLING | | | | |
| A | Vibrated reinforced concrete 1:2:4 (20/20) in:- Ring beams | CM | 2 | | |
| | Reinforcement | | | | |
| C | 8mm diameter bars to B.s 4449 as before described | KG | 15 | | |
| D | 10mm dia bars | KG | 30 | | |
| | Formwork | | | | |
| E | Sides and soffits of beams | SM | 6 | | |
| | Walling | | | | |
| G | 200mm thick machine cut stones in walling jointed & bedded in cement mortar 1:4 with and including hoopiron after every 2nd alternate course | SM | 20 | | |
| | TOTAL FOR ELEMENT NO. 2 WALLING | | | | |
| ITEM | DESCRIPTION | UNIT | QTY | RATE | AMOUNT |

| | | | | | |
|-------------|---|-------------|------------|-------------|---------------|
| A | ELEMENT NO. 03 ROOF | | | | |
| | Roof cover Gauge 30 prepainted box profiled roof sheet cover fixed with rubber washers to match. | SM | 12 | | |
| | All in sawn celcured well seasoned and treated cypress:- The following in roof high and hoisted approx. 3m above ground level | | | | |
| | B 75x 50mm rafter. | LM | 12 | | |
| | C 75 x 50mm tie beam | LM | 10 | | |
| | D Ditto wall plate | LM | 5 | | |
| E | 50 x 50mm purlins | LM | 20 | | |
| F | 50 x 50mm struts and ties | LM | 12 | | |
| | TOTAL FOR ELEMENT NO. 03 ROOF | | | | |
| | | | | | |
| ITEM | DESCRIPTION | UNIT | QTY | RATE | AMOUNT |
| A | ELEMENT NO. 4- DOORS T doors | | | | |
| | 50mm thick solid T door,framed-braced & stiled size 900 x 2100mm high sawn cypress doors | NO | 2 | | |
| | B 100mm x 50mm door frame twice rebated | LM | 12 | | |
| | F 100mm long pressed steel butt hinges | PRS | 2 | | |
| I | Painting Knot, prime stop and apply 3 coats super gloss oil paint as "crown" or any other equal and approved to surfaces of: Doors | SM | 8 | | |
| | TOTAL FOR ELEMENT NO. 4 DOORS | | | | |

| ITEM | DESCRIPTION | UNIT | QTY | RATE | AMOUNT |
|------|---|------|-----|------|--------|
| | ELEMENT NO. 6 - FINISHES Floors | | | | |
| A | Cement and sand (1:4) screeding | SM | 8 | | |
| C | 300 by 300mm non slip ceramic tiles to floor | SM | 8 | | |
| D | 15mm thick gauged plaster cement sand lime 1:1:6 with a smooth float to walls internally. | SM | 18 | | |
| E | Ditto to externally. | SM | 5 | | |
| F | Horizontal keying to general stone surfaces externally | SM | 14 | | |
| | ELEMENT NO. 7 PAINTING & DECORATIONS | | | | |
| | Prepare and apply three coats permaplast long lasting exterior first grade plastic emulsion paint as "crown" or any other equal and approved paint to | | | | |
| A | Rendered walls externally | SM | 3 | | |
| | Prepare and apply 3 coats smooth silk vinyl paint as "crown" or any other equal and approved paint to Plastered areas | SM | 18 | | |
| | TOTAL FOR ELEMENT NO. 7 FINISHES | | | | |
| | | | | | |
| ITEM | DESCRIPTION | UNIT | QTY | RATE | AMOUNT |
| | Summary | | | | |
| A | Sub-structures | | | | |
| B | Frame | | | | |
| C | Roofing | | | | |
| D | Doors | | | | |
| E | Finishes | | | | |
| | Total for pit latrine | | | | |

| Item | Description | Qty | Unit | Rate | Amount |
|------|--|--|---|------|--------|
| | <p>PROVISIONAL SUMS</p> <p><u>The following provisional items are to be measured on completion of the works and priced in accordance with rates contained in these Bills of Quantities or pro-rata thereto or deducted in whole if not required.</u></p> <p>Allow a provisional sum of Kenya Shillings Seventy Five thousand (Kshs 75,000.00) for Project Management Committee expenses</p> <p>Allow a provisional sum of Kenya Shillings One Hundred thousand (Kshs 100,000.00) for electrification</p> <p>Allow a provisional sum of Kenya Shillings Ten Thousand (Kshs 10,000.00) for project branding</p> <p>Allow a provisional sum of Kenya Shillings One Hundred thousand (Kshs 100,000.00) for public works</p> <p>Allow a provisional sum of Kenya Shillings Seventy Five thousand (Kshs 75,000.00) for Contingencies</p> | <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> | <p>ITEM</p> <p>ITEM</p> <p>ITEM</p> <p>ITEM</p> <p>ITEM</p> | | |
| | Total for provisional sums carried to summary | | | | |

| Item | Description | Qty | Unit | Rate | Amount |
|------|--|-----|------|------|--------|
| | <u>GRAND SUMMARY</u> | | | | |
| A | BUILDERS WORK FOR 3 ROOMED CHIEFS OFFICE | | | | |
| B | PROVISIONAL SUMS | | | | |
| C | PIT LATRINE | | | | |
| C | TOTAL FOR BUILDERS WORK | | | | |
| D | ADD 16% VAT | | | | |
| E | CONTRACT SUM | | | | |
| | AMOUNT IN WORDS: (KSHS) | | | | |
| | Contractor's Name_____ | | | | |
| | Address_____ | | | | |
| | Signature_____ | | | | |
| | Date_____ | | | | |
| | Witnesses's Name_____ | | | | |
| | Address_____ | | | | |
| | Signature_____ | | | | |
| | Date_____ | | | | |
| | GS | | | | |